



OSNOVNA PLOŠČA 1200 GIGABYTE Z490 AORUS PRO AX ATX

Vaša cena: 307,09€

Šifra: Z490-PAX

Kategorija: [MB 1200](#)

EAN: 4719331808358

OPIS

PODNOŽJE: INTEL LGA1200

ZA PROCESORJE: Intel 10th Generation Core™ i7/i5/i3/Pentium/Celeron

FORMAT: ATX Form Factor 30.5 x 24.4 cm

VEZNI ČIP: Intel Z490 Express

POMNILNIK:

4 x DDR4 (5000(O.C.)/4933(O.C.)/4800(O.C.)/ 4700(O.C.)/ 4600(O.C.)/ 4500(O.C.)/ 4400(O.C.)/ 4300(O.C.)/4266(O.C.) / 4133(O.C.) / 4000(O.C.) / 3866(O.C.) / 3800(O.C.) / 3733(O.C.) / 3666(O.C.) / 3600(O.C.) / 3466(O.C.) / 3400(O.C.) / 3333(O.C.) / 3300(O.C.) / 3200(O.C.) / 3000(O.C.) / 2933 / 2800 / 2666 / 2400 / 2133 MHz) do skupno 128GB kapacitete, dual channel in Extreme Memory Profile (XMP) podpora

GRAFIKA: preko CPU

RAID: DA (0,1,5,10)

RAZŠIRITVENE REŽE:

1 x PCIe x16 (x16 mode)

1 x PCIe x16 (x8 mode)

1 x PCIe x16 (x4 mode)

2 x PCIe x1

MREŽNA KARTICA: INTEL 2.5GbE LAN chip (2.5 Gbit/1 Gbit/100Mbit)

ZVOČNA KARTICA: Realtek ALC1200-VB codec, High Definition Audio, 2/4/5.1/7.1-channel, podpora



za S/PDIF Out

NOTRANJI PRIKLJUČKI:

- 1 x 24-pin ATX main power connector
- 1 x 8-pin ATX 12V power connector
- 1 x 4-pin ATX 12V power connector
- 1 x CPU fan header
- 1 x water cooling CPU fan header
- 4 x system fan headers
- 2 x system fan/water cooling pump headers
- 2 x addressable LED strip headers
- 2 x RGB LED strip headers
- 6 x SATA 6Gb/s connectors
- 2 x M.2 Socket 3 connectors
- 1 x front panel header
- 1 x front panel audio header
- 1 x USB Type-C header, with USB 3.2 Gen 1 support
- 1 x USB 3.2 Gen 1 header
- 2 x USB 2.0/1.1 headers
- 2 x Thunderbolt add-in card connectors
- 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only)
- 1 x Clear CMOS jumper
- 2 x temperature sensor headers
- 1 x Q-Flash Plus button

ZUNANJI PRIKLJUČKI:

- 1 x USB Type-C port, with USB 3.2 Gen 2 support
- 2 x USB 3.2 Gen 2 Type-A ports (red)
- 3 x USB 3.2 Gen 1 ports
- 4 x USB 2.0/1.1 ports
- 2 x SMA antenna connectors (2T2R)
- 1 x HDMI port
- 1 x RJ-45 port
- 1 x optical S/PDIF Out connector
- 5 x audio jacks

DODATNO:

- iTE I/O Controller Chip
- H/W Monitoring
- Voltage detection
- Temperature detection
- Fan speed detection
- Water cooling flow rate detection
- Overheating warning



Fan fail warning
Fan speed control
BIOS
1 x 256 Mbit flash
Use of licensed AMI UEFI BIOS
PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0
Unique Features
Support for APP Center
@BIOS
EasyTune
Fast Boot
Game Boost
ON/OFF Charge
RGB Fusion
Smart Backup
System Information Viewer
Support for Q-Flash Plus
Support for Q-Flash
Support for Xpress Install
Bundled Software
Norton Internet Security (OEM version)
cFosSpeed
XSplit Gamecaster + Broadcaster (12 months license)

Spletna stran proizvajalca: <https://www.gigabyte.com/Motherboard/Z490-AORUS-PRO-AX-rev-10#kf>

KATALOGI IN NAVODILA ZA UPORABO

- <https://cdn.e-misija.si/pdf/Z490-PAX-navodila.pdf>

PODATKI PROIZVAJALCA

Giga-Byte Technology Co., Ltd.
No.6, Bao Chiang Road, 231 NEW TAIPEI CITY
Taiwan
<https://www.gigabyte.com/>

Zastopnik za EU:



Ernst Reiner GmbH & Co. KG
Baumannstr. 16, Furtwangen
Germany
info@siewert-kau.de

Obvestila in varnostna opozorila:

