



**OSNOVNA PLOŠČA 1700 GIGABYTE  
B760M DS3H GEN5 MICROATX VGA  
HDMI 2XDISPLAYPORT**

Vaša cena: 117,73€

[IZENAČIM CENO](#)

---

**Šifra:** 872793

**Kategorija:** [MB 1700](#)

**EAN:** 4719331872793

## OPIS

---

**PODNOŽJE:** INTEL LGA 1700

**ZA PROCESORJE:** 14/13/12 Generation Core i7/i5/i3/Pentium/Celeron

**FORMAT:** micro ATX format 24.4 cm x 24.4 cm

**VEZNI ČIP:** INTEL B760

**POMNILNIK:**

4 x DDR5 DIMM ECC/non-ECC 7600(O.C.) /7400(O.C.) /7200(O.C.) /7000(O.C.) /6800(O.C.) /6600(O.C.) / 6400(O.C.) / 6200(O.C.) / 6000(O.C.) / 5800(O.C.)/ 5600/5200/4800/4400MHz) do skupno 256GB kapacitete, dual channel in XMP podpora

**GRAFIKA:** DA - preko CPU

**RAID:** RAID 0, RAID 1, RAID 5, and RAID 10 podpora SATA storage

**RAZŠIRITVENE REŽE:**

CPU:

- 1 x PCI Express x16 slot, supporting PCIe 5.0 and running at x16  
The PCIEX16 slot can only support a graphics card or an NVMe SSD

Chipset:

- 2 x PCI Express x1 slots, supporting PCIe 3.0 and running at x1

**MREŽNA KARTICA:** Realtek 2.5GbE LAN chip

**ZVOČNA KARTICA:** Realtek codec High Definition Audio (2/4/5.1/7.1-channel)

**NOTRANJI PRIKLJUČKI:**



- 1 x 24-pin ATX main power connector
- 1 x 8-pin ATX 12V power connector
- 1 x CPU fan header
- 3 x system fan headers
- 2 x addressable RGB Gen2 LED strip headers
- 1 x RGB LED strip header
- 2 x M.2 Socket 3 connectors
- 4 x SATA 6Gb/s connectors
- 1 x front panel header
- 1 x front panel audio header
- 1 x USB 3.2 Gen 1 header
- 2 x USB 2.0/1.1 headers
- 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only)
- 1 x serial port header
- 1 x parallel port header
- 1 x S/PDIF Out header
- 1 x Q-Flash Plus button
- 1 x reset jumper
- 1 x Clear CMOS jumper
- ZUNANJI PRIKLJUČKI:**
- 2 x USB 2.0/1.1 ports
- 1 x PS/2 keyboard/mouse port
- 1 x D-Sub port (Note)
- 1 x HDMI port (Note)
- 2 x DisplayPorts (Note)
- 3 x USB 3.2 Gen 1 ports
- 1 x USB Type-C port, with USB 3.2 Gen 2 support
- 1 x RJ-45 port
- 3 x audio jacks
- DODATNO:**
- iTE I/O Controller Chip
- H/W Monitoring
- Voltage detection
- Temperature detection
- Fan speed detection
- Water cooling flow rate detection
- Fan fail warning
- Fan speed control
- BIOS
- 1 x 128 Mbit flash



Use of licensed AMI UEFI BIOS  
PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0  
Unique Features  
Support for GIGABYTE Control Center (GCC)  
Support for Q-Flash  
Support for Q-Flash Plus  
Support for Smart Backup  
Bundled Software  
Norton Internet Security (OEM version)

Uradna stran proizvajalca: <https://www.gigabyte.com/Motherboard/B760M-DS3H-GEN5#kf>

## KATALOGI IN NAVODILA ZA UPORABO

---

1. <https://cdn.e-misija.si/pdf/872793-navodila.pdf>

## TEHNIČNI PODATKI

---

## PODATKI PROIZVAJALCA

---

Giga-Byte Technology Co., Ltd.  
No.6, Bao Chiang Road, 231 NEW TAIPEI CITY  
Taiwan  
<https://www.gigabyte.com/>

### Zastopnik za EU:

Ernst Reiner GmbH & Co. KG  
Baumannstr. 16, Furtwangen  
Germany  
[info@siewert-kau.de](mailto:info@siewert-kau.de)



Obvestila in varnostna opozorila:

