



## OSNOVNA PLOŠČA AM5 ASUS PRIME B650M-A II MICROATX 1XVGA 1XHDMI 1XDISPLAYPORT

Vaša cena: 116,89€

[IZENAČIM CENO](#)

---

**Šifra:** PRB650M-AII

**Kategorija:** [MB AMD AM5](#)

**EAN:** 4711387025543

## OPIS

**PODNOŽJE:** AMD AM5

**ZA PROCESORJE:** AMD RYZEN 7000 Series

**FORMAT:** ATX format 24.4 cm x 24.4 cm

**VEZNI ČIP:** AMD B650

**POMNILNIK:**

4 x DDR5 DIMM ECC and Non-ECC, Un-buffered Memory

7600(OC)/7200(OC)/7000(OC)/6800(OC)/6600(OC)/6400(OC)/6200(OC)/6000(OC)/5800(OC)/5600(OC)  
/5400(OC)/5200/5000/4800MHz (odvisno od procesorja) do skupno 192GB kapacitete, dual channel in  
EXtended Profiles for Overclocking, OptiMem II podpora

**GRAFIKA:** DA - preko APU

**RAID:** DA (0,1,10)

**RAZŠIRITVENE REŽE:**

1 x PCI Express 3.0/4.0 x16

1 x PCI Express 3.0/4.0 x8/x4

2 x PCI Express 3.0/4.0 x1

**MREŽNA KARTICA:** Realtek 2.5GbE LAN chip (10/100/1000Mbit/2.5Gbit)

**ZVOČNA KARTICA:** Realtek Audio codec High Definition Audio (2/4/5.1/7.1-channel)

**NOTRANJI PRIKLJUČKI:**

Fan and Cooling related



1 x 4-pin CPU Fan header  
1 x 4-pin CPU OPT Fan header  
3 x 4-pin Chassis Fan headers  
Power related  
1 x 24-pin Main Power connector  
1 x 8-pin +12V Power connector  
Storage related  
2 x M.2 slots (Key M)  
4 x SATA 6Gb/s ports  
USB  
1 x USB 3.2 Gen 1 connector (supports USB Type-C® )  
1 x USB 3.2 Gen 1 header supports 2 additional USB 3.2 Gen 1 ports  
2 x USB 2.0 headers support 4 additional USB 2.0 ports  
Miscellaneous  
3 x Addressable Gen 2 headers  
1 x Aura RGB header  
1 x Clear CMOS header  
1 x COM Port header  
1 x Front Panel Audio header (AAFP)  
1 x S/PDIF Out header  
1 x Speaker header  
1 x SPI TPM header (14-1pin)  
1 x 10-1 pin System Panel header

**ZUNANJI PRIKLJUČKI:**

2 x USB 3.2 Gen 2 ports (2 x Type-A)  
2 x USB 3.2 Gen 1 ports (2 x Type-A)  
4 x USB 2.0 ports (4 x Type-A)  
1 x DisplayPort  
1 x VGA port  
1 x HDMI® port  
1 x Realtek 2.5Gb Ethernet port  
3 x Audio jacks  
1 x BIOS FlashBack™ button  
1 x PS/2 Keyboard/Mouse combo port

**DODATNO:**

Fan and Cooling related  
1 x 4-pin CPU Fan header  
1 x 4-pin CPU OPT Fan header  
3 x 4-pin Chassis Fan headers  
Power related  
1 x 24-pin Main Power connector



1 x 8-pin +12V Power connector

Storage related

2 x M.2 slots (Key M)

4 x SATA 6Gb/s ports

USB

1 x USB 3.2 Gen 1 connector (supports USB Type-C® )

1 x USB 3.2 Gen 1 header supports 2 additional USB 3.2 Gen 1 ports

2 x USB 2.0 headers support 4 additional USB 2.0 ports

Miscellaneous

3 x Addressable Gen 2 headers

1 x Aura RGB header

1 x Clear CMOS header

1 x COM Port header

1 x Front Panel Audio header (AAFP)

1 x S/PDIF Out header

1 x Speaker header

1 x SPI TPM header (14-1pin)

1 x 10-1 pin System Panel header

Special Features

ASUS 5X PROTECTION III

- DIGI+ VRM

- LANGuard

- Overvoltage Protection

- Safeslot Core+

- Stainless-Steel Back I/O

ASUS Q-Design

- Q-DIMM

- Q-LED Core

- Q-Slot

ASUS Thermal Solution

- VRM heatsink design

ASUS EZ DIY

- BIOS FlashBack™ button

- BIOS FlashBack™ LED

Aura Sync

- Aura RGB header

- Addressable Gen 2 headers

Software Features

ASUS Exclusive Software

Armoury Crate

- Aura Creator



- Aura Sync
- Fan Xpert 2+
- Power Saving

AI Suite 3

- TurboV EVO
- DIGI+ VRM
- PC Cleaner

ASUS CPU-Z

Norton Anti-virus software (Free Trial version)

WinRAR

UEFI BIOS

ASUS EZ DIY

- ASUS CrashFree BIOS 3
- ASUS EZ Flash 3
- ASUS UEFI BIOS EZ Mode

Spletna stran proizvajalca:

<https://www.asus.com/motherboards-components/motherboards/csm/prime-b650m-a-ii-csm/>

## KATALOGI IN NAVODILA ZA UPORABO

---

1. <https://cdn.e-misija.si/pdf/PRB650M-All-navodila.pdf>

## TEHNIČNI PODATKI

---

## PODATKI PROIZVAJALCA

---

Asus Global PTE. LTD.

No. 15, Li-De Road, Beitou District, Taipei 112

Taiwan

[email@asus.com](mailto:email@asus.com)

<https://www.asus.com/>

### Zastopnik za EU:

ASUS Europe B.V.

Paasheuvelweg 25, Amsterdam 1105

The Netherlands

[service@asus.de](mailto:service@asus.de)



Obvestila in varnostna opozorila:

