



OSNOVNA PLOŠČA AM5 GIGABYTE DS3H ATX HDMI 2XDISPLAYPORT

Vaša cena: 154,47€

[IZENAČIM CENO](#)



Šifra: B850M-DS3H

Kategorija: [MB AMD AM5](#)

EAN: 4719331866518

OPIS

PODNOŽJE: AMD AM5

ZA PROCESORJE: AMD RYZEN 7000/8000/9000 Series

FORMAT: micro ATX format 24.4 cm x 24.4 cm

VEZNI ČIP: AMD B850

POMNILNIK:

4 x DDR5 DIMM non-ECC

8200/8000(OC)/7800(OC)/7600(OC)/7200(OC)/7000(OC)/6800(OC)/6666(OC)/6600(OC)/6400(OC)/6200(OC)/ 6000(OC)/5600(OC)/5200/4800/4400MHz (odvisno od procesorja) do skupno 256GB kapacitete, dual channel in EXtended Profiles for Overclocking, Extreme Memory Profile (XMP) podpora

GRAFIKA: DA - preko APU

RAID: DA (0,1,10) support for SATA/NVME storage devices

RAZŠIRITVENE REŽE:

1 x PCI Express x16 slot (PCIEX16), integrated in the CPU:

AMD Ryzen™ 9000/7000 Series Processors support PCIe 5.0 x16 mode

AMD Ryzen™ 8000 Series-Phoenix 1 Processors support PCIe 4.0 x8 mode

AMD Ryzen™ 8000 Series-Phoenix 2 Processors support PCIe 4.0 x4 mode

Chipset:

1 x PCI Express x16 slots, supporting PCIe 3.0 and running at x1



MREŽNA KARTICA: Realtek 2.5GbE LAN chip (10/100/1000Mbit/2.5Gbit)

ZVOČNA KARTICA: Realtek Audio codec High Definition Audio (2/4/5.1/7.1-channel)

NOTRANJI PRIKLJUČKI:

1 x 24-pin ATX main power connector

1 x 8-pin ATX 12V power connector

1 x CPU fan header

1 x CPU fan/water cooling pump header

1 x system fan header

1 x system fan/water cooling pump header

3 x addressable RGB Gen2 LED strip headers

1 x RGB LED strip header

4 x SATA 6Gb/s connectors

2 x M.2 Socket 3 connectors

1 x front panel header

1 x front panel audio header

1 x USB Type-C® header, with USB 3.2 Gen 2 support

1 x USB 3.2 Gen 1 header

2 x USB 2.0/1.1 headers

1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only)

1 x reset button

1 x reset jumper

1 x Clear CMOS jumper

ZUNANJI PRIKLJUČKI:

1 x HDMI port (Note)

2 x DisplayPorts (Note)

1 x Q-Flash Plus button

1 x PS/2 keyboard/mouse port

1 x USB 3.2 Gen 2 Type-A ports (red)

1 x USB Type-C® port, with USB 3.2 Gen 2 support

2 x USB 3.2 Gen 1 ports

4 x USB 2.0/1.1 ports

1 x RJ-45 port

3 x audio jacks

DODATNO:

iTE® I/O Controller Chip

H/W Monitoring

Voltage detection

Temperature detection

Fan speed detection

Water cooling flow rate detection



Fan fail warning
Fan speed control
BIOS
1 x 256 Mbit flash
Use of licensed AMI UEFI BIOS
PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0
Unique Features
Support for GIGABYTE Control Center (GCC)
Support for Q-Flash
Support for Q-Flash Plus
Support for Smart Backup
Bundled Software
Norton® Internet Security (OEM version)
LAN bandwidth management software

Spletna stran proizvajalca: <https://www.gigabyte.com/Motherboard/B850M-DS3H#kf>

KATALOGI IN NAVODILA ZA UPORABO

- <https://cdn.e-misija.si/pdf/B850M-DS3H-navodila.pdf>

TEHNIČNI PODATKI

PODATKI PROIZVAJALCA

Giga-Byte Technology Co., Ltd.
No.6, Bao Chiang Road, 231 NEW TAIPEI CITY
Taiwan
<https://www.gigabyte.com/>

Zastopnik za EU:

Ernst Reiner GmbH & Co. KG
Baumannstr. 16, Furtwangen
Germany
info@siewert-kau.de



Obvestila in varnostna opozorila:

